

MISURE STANDARD RESISTENZE A CARTUCCIA (U.M: inch)



In caso si avessero necessità differenti in termini di misure e potenze, si prega di contattare gli uffici.

DIAMETRO(mm)	LUNGH.(mm)	POTENZA(W/230V)
	1" (25.4mm)	75
		100
		150
		175
	1"1/2 (38.1mm)	75
		100
		125
		150
		175
		200
		250
	2" (50.8mm)	100
		125
		150
		175
		200
		250
		300
	2" 1/2 (63.5mm)	100
		125
		150
1/4"		175
6.35mm		200
		250
		300
	3" (76.2mm)	100
		150
		175
		200
		250

		300
		400
	3" 1/2 (86.9mm)	150
		200
		250
		300
	4" (101.6mm)	125
		150
		175
		200
		250
		300
		350
	5" (127mm)	100
		150
		200
		250
		300
		350
		400
	6" (152.4mm)	150
		200
		300
		350
		400
		500

DIAMETRO(mm)	LUNGH.(mm)	POTENZA(W/230V)
	1" (25.4mm)	75
		100
		150
		200
	1"1/2 (38.1mm)	100
		125
		150
		200
		250
		300
	2" (50.8mm)	100
		125
		150
		175
		200
		250

		300
		350
		400
	2" 1/2 (63.5mm)	100
		125
3/8"		150
9.52mm		200
		250
		300
		350
		400
	3" (76.2mm)	150
		200
		250
		300
		400
		500
		600
	3" 1/2 (86.9mm)	250
		300
		350
		400
		500
	4" (101.6mm)	150
		200
		250
		300
		400
		500
		600
		750
	5" (127mm)	200
		250
		300
		400
		500
		800
		1000
	6" (152.4mm)	250
		300
		400
		500
		800
		1000

	7"(177.8mm)	350
		400
		500
		600
		800
		1000
	8"(209.2mm)	400
		500
		600
		800
		1000

DIAMETRO(mm)	LUNGH.(mm)	POTENZA(W/230V)
	1"1/2 (38.1mm)	125
		150
		200
		250
		300
	2" (50.8mm)	150
		200
		250
		300
		400
	2" 1/2 (63.5mm)	150
		250
		300
		400
		500
	3" (76.2mm)	200
		250
		300
		400
		500
		600
1/2"		750
12,7mm	3" 1/2 (86.9mm)	250
-0,05		300
		350
		500
		750
	4" (101.6mm)	250
		300
		350

		400
		500
		600
		800
		1000
	5" (127mm)	300
		350
		400
		500
		600
		750
		900
		1000
	6" (152.4mm)	300
		400
		500
		600
		750
		850
		1000
	7" (177.8mm)	500
		600
		800
		1000
	8" (209.2mm)	500
		800
		1000
		1500
		2000
	9" (228.6mm)	500
		600
		750
		1000
		1200
		1500
	10" (254mm)	600
		750
		1000
		1200
		1500
		2000
	12" (304.8mm)	600
		800
		1000
		1500
		2000

DIAMETRO(mm)	LUNGH.(mm)	POTENZA(W/230V)
	2" (50.8mm)	200
		300
		500
	2" 1/2 (63.5mm)	175
		250
		300
		400
		500
		750
	3" (76.2mm)	250
		300
		400
		500
		600
		750
	4" (101.6mm)	300
		400
		500
		600
		750
		1000
5/8"		1200
15.87mm	5" (127mm)	400
		500
		600
		800
		1000
		1300
	6" (152.4mm)	400
		600
		800
		1000
		1600
	7" (177.8mm)	500
		750
		1000
		1500
	8" (209.2mm)	500
		750
		1000
		1200
		1500

		2000
	9"(228.6mm)	500
		750
		1000
		1300
		1600
	10"(254mm)	750
		1000
		1300
		1800
		2000
	12"(304.8mm)	750
		1000
		1500
		1800
		2000
		2500
	14"(355.6mm)	1000
		1600
		2000
		2500
	16"(406.4mm)	1000
		1600
		2000
		2500

DIAMETRO(mm)	LUNGH.(mm)	POTENZA(W/230V)
	3"(76.2mm)	300
		400
		500
	4" (101.6mm)	400
		600
		800
		1000
	5" (127mm)	400
		500
		1000
		1500
	6"(152.4mm)	400
		600
		1000
		1500
	8"(209.2mm)	500
		600
		1000

		1500
	10"(254mm)	800
		1000
3/4"		2000
19.05mm	12"(304.8mm)	800
		1000
		1500
		2000
		2500
	14"(355.6mm)	1500
		2000
		2500
		3000
		3500